



Intelligent Led Solar Street Light IP67 With 16-24 Hours Lighting Duration

Our Product Introduction

Basic Information

- Place of Origin: Guangdong, China
- Brand Name: Linkop
- Certification: CE/FCC/ROHS
- Model Number: LC-BJDJ-YSK
- Minimum Order Quantity: 10pcs
- Price: \$13.3/Pcs
- Packaging Details: color box
- Delivery Time: 3-8 days
- Payment Terms: TT
- Supply Ability: 3000000pcs/ month





Product Specification

- Switching Mode: Intelligent Light Control Switch
- Led Lifespan: >50000H
- Lighting Duration: 16-24 Hours
- Work Temperature: -30 ~+60
- Warranty: 1 Years
- Led Light: High Brightness Bridgelux
- Operating Voltage: AC90-295V, 50-60Hz
- Charging Time: 4-8 Hours
- Highlight: 24Hrs Duration Led Solar Street Light , Intelligent Control Led Solar Street Light, Led Solar Street Light IP67



More Images



for more products please visit us on ledslightstrip.com

Product Description

Energy Saving Led Street Lamp With Intelligent Light Control And 16-24 Hours Lighting Duration

Product Description:

LED street lights use high-quality LED chips to provide bright and consistent lighting, making them an ideal choice for high traffic or pedestrian activity areas. LED road lighting fixtures are available in 60W, 100W, 200W, 300W, and 500W power options, allowing customization to meet different lighting requirements.

LED street lights adopt a wiring free installation method, which does not require complex wiring and is easy to install. The product is also equipped with a solar panel that can be charged during the day, ensuring it is ready to provide bright and reliable lighting at night. The charging time for LED street lights is 4-8 hours, which is energy-saving and environmentally friendly.

The service life of LED street lights exceeds 50000 hours, ensuring long-lasting and reliable lighting for outdoor areas. The durable ABS shell material is weather resistant and can withstand harsh outdoor conditions, making it an ideal choice for use in extreme weather conditions.

Overall, LED street lights are a great lighting solution for outdoor areas that require bright and reliable illumination. With its long lifespan, no wiring installation method, and durable housing material, this product is designed to provide maximum lighting and reliability for the coming years.

Features:

Product Name: LED Street Lamp

Housing material: ABS

Waterproof class: IP67

Led Lifespan: >50000H

Product list: Lights, Solar Panels, Brackets, Screws, Remote Control

Certificates: CE, EMC, LVD, RoHS, FCC

Features:

LED induction street light

LED Expressway Luminaire

LED high-power street light

Technical Parameters:

Technical Parameters	Specification
Product Name	Smart Solar Street Lamp
Product List	Lights, Solar Panels, Brackets, Screws, Remote Control
Power	60W,100W, 200W, 300W, 500W
LED Light	High Brightness Bridgelux
LED Lifespan	>50000H
Operating Voltage	AC90-295V, 50-60Hz
Power Supply	Solar
Application Scenario	Streets, Factories, Yards, Roads, Schools, Gardens And So On
Lighting Duration	16-24 Hours
Warranty	1 Year

Applications:







LED street lights are suitable for illuminating streets, factories, courtyards, roads, schools, gardens, etc. High brightness, energy-saving, and long service life. This product comes in different models with power ranging from 60W to 500W. The high brightness Bridgelux LED lights ensure sufficient and safe lighting in the area.

The waterproof rating of the LED trail light is IP67, suitable for use in various weather conditions. They are easy to install and require minimal maintenance. Intelligent solar street lights are equipped with built-in sensors that can automatically turn on the lights at dusk and

turn off the lights at dawn, saving energy and reducing electricity bills.
In summary, Linkop's LC-BJDJ-YSK LED solar street lights are an excellent choice for outdoor lighting needs. It is energy-saving, durable, and easy to install. Whether you need to illuminate streets, factories, yards, or schools, this product can provide the perfect solution. Place an order today and enjoy the benefits of this high-quality product.

Quality is everything.

Quality is everything
Six reasons to choose us.

 Intelligent optical control	 Solar charging	 No wiring
 Rain and lightning protection	 Zero electricity fee for the whole year	 Highlight lamp bead

REMOTE CONTROL

Adjust as you like within 5 meters


Timing 3 hours
Power off automatically after 3 hours.

Timing 5 hours
Power off automatically after 5 hours.

Timing 8 hours
Power off automatically after 8 hours.

The button with the brightest light
(100%illumination)

The light is half as bright
(50%brightness lighting)



Automatic mode
Intelligent adjustment of brightness

Forced boot key

Forced shutdown key

INSTALLATION METHOD

Install as you like and use it with confidence.



WALL INSTALLATION



POLE INSTALLATION

60W



product name	Solar toothbrush street lamp	battery capacity	3.2v/6000MA
Lamp material	Oxidation-resistant die-casting aluminum	solar panel	235*350mm
colour <small>temperature</small>	White light (6500k)	shell	385*130*60mm
Light source board	SMD 5730/113PCS	remote control	Light control/time control/remote control

100W



product name	Solar toothbrush street lamp	battery capacity	3.2v/18000MA
Lamp material	Oxidation-resistant die-casting aluminum	solar panel	350*450mm
colour <small>temperature</small>	White light (6500k)	shell	493*215*70mm
Light source board	SMD 5730/205PCS	remote control	Light control/time control/remote control

200W



product name	Solar toothbrush street lamp	battery capacity	3.2/24000MA
Lamp material	Oxidation-resistant die-casting aluminum	solar panel	350*530mm
colour <small>temperature</small>	White light (6500k)	shell	493*215*70mm
Light source board	SMD 5730/356PCS	remote control	Light control/time control/remote control

300W



product name	Solar toothbrush street lamp	battery capacity	3.2/30000MA
Lamp material	Oxidation-resistant die-casting aluminum	solar panel	350*600mm
colour <small>temperature</small>	White light (6500k)	shell	493*215*70mm
Light source board	SMD 2835/997PCS	remote control	Light control/time control/remote control

LINKOP[®] Shenzhen Lianchuang Shengda Electronic Technology Co., Ltd

☎ +8613430440444

✉ HSH20062023@outlook.com

🌐 ledslightstrip.com

Building 6B, Jingnan Industrial Zone, Jingnan Road, Buji Street, Longgang District, Shenzhen

